Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(manag$4 near10 configur$5 near10 (resource$1 or device$1) near10 database$1) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:51
L2	2	(manag$4 near10 configur$5 near10 (resource$1 or device$1) near10 SNMP) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L3	39	(manag$4 near10 configur$5 near10 (resource$1 or device$1) near10 SNMP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L4	31	719/322.ccls.. and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L5	11	709/220-222.ccls. and 707/10,104.1.ccls. and database$1 near10 monitor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L6	3	(NMS near3 process$3) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L7	333	manag$4 near10 configur$5 near10 (resource$1 or device$1) near10 database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L8	30	(process processes) near10 (register$4) near10 flex$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L9	18	(manag$4 near10 configur$5 near10 (resource$1 or device$1) near10 database$1) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L10	3	(NMS near3 process$3) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52

L11	60	709/223-225.ccls. and 709/220-221. ccls. and database$1 near10 monitor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
S1	144	manag$4 near10 configur$5 near10 (resource$1 or device$1) near10 database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:16
S27	94	(process thread$1) near10 (id$1 identifier$4) near10 (notify notification$1 notifying) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:00
S28	15	transparent$4 near10 (restart$4) near10 (process processes thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:01
S29	35	transparent$4 near10 (upgrad$4) near10 (process processes thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:02
S30	1	transparent$4 near10 (upgrad$4) near10 (process processes thread$1) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:02
S31	0	modular$4 near10 (process thread$1) near5 (ID$1 identifier$4) near10 (notify notifying notification) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:05
S32	66	(process thread$1) near5 (ID$1 identifier$4) near10 (notify notifying notification) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:04
S33	4	(name$4) near10 device$4 near10 process same flexibl$4 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:05
S34	11	(name$4) near10 device$4 near10 process same dynamic$4 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:05

S35	0	dynamic$4 near10 (process thread$1) near5 (ID$1 identifier$4) near10 (notify notifying notification) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:05
S36	0	719/322.ccls. and 719/328.ccls. and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S37	6	719/322.ccls. and 719/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:16
S38	0	719/322.ccls.. and 709/223-226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S39	0	719/322.ccls. and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S40	41	719/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S41	3	719/322.ccls. and @ad<"20000520" and process near5 (identifier$4 number$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:23
S42	87555	@ad<"20000520" and process near5 (identifier$4 number$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:41
S43	0	@ad<"20000520" and process near5 (identifier$4 number$1) near10 name adj server41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:41
S44	5	@ad<"20000520" and process near5 (identifier$4 number$1) near10 name adj server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:51

S45	82	@ad<"20000520" and process near10 name adj server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:51
S46	10	@ad<"20000520" and process near10 name adj server$1 and "719"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:51
S47	5	IPC same (process processes) near10 (ID identifier$1 number$1) near10 register$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 09:01
S48	3217	(process processes) near10 (ID identifier$1 number$1) near10 register$4 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 09:01
S49	65	(process processes) near10 (ID identifier$1 number$1) near10 register$4 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 09:59
S50	402	(process processes) near10 (ID identifier$1 number$1) near10 notif$9 and @ad<"20000520" ·	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:08
S51	175	(process processes) near10 (ID$2 identifier$1) near10 notif$9 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:00
S52	19	(process processes) near10 (ID$2 identifier$1) near10 notif$9 and @ad<"20000520" and restart$4 near10 (process processes thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:08
S53	0	(process processes) near10 (ID$2 identifier$1 pid$1) near10 notif$9 and @ad<"20000520" and restart$4 near10 (process processes thread$1) not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:07
S54	1	(process processes) near10 (ID$2 identifier$1) near10 notif$9 and @ad<"20000520" and restart$4 near10 (transparent$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:08

S55	383	(process processes) near10 (ID identifier$1 number$1) near10 flex$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:09
S56	0	(process processes) near10 (ID identifier$1 number$1) near10 flex$6 and @ad<"20000520" and 719/clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:09
S57	2	(process processes) near10 (ID identifier$1 number$1) near10 flex$6 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:17
S58	0	(process processes) near10 (ID identifier$1) near10 flex$6 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:17
S59	5	(process processes) near10 (ID identifier$1) near10 flex$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:50
S60	0	name adj server$1 same PID near10 flex$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:18
S61	9	name adj server$1 same PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:28
S62	0	IPC same assign$4 near10 ."new" near10 PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:28
S63	3	"719".clas. and assign$4 near10 "new" near10 PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:29
S64	·29	assign$4 near10 "new" near10 PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:29

S65	62	assign$4 near10 "new" near10 (process near5 (identifier$1 ID$1) PID) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:41
S66	7	("5644719" | "5802590" | "5894555" | "5974134" | "6108715" | "6119145" | "6253225").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 10:31
S67	2	notif$7 near10 "new" near10 (process near5 (identifier$1 ID$1) PID) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:43
S68	30	(process processes) near10 (register$4) near10 flex$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:51
S69	0	(process processes) near10 (register$4) near10 flex$6 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:51
S70	353	(process processes) near10 (register$4) and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:52
S71	44	(process processes) near10 (register$4) and @ad<"20000520" and "719"/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:53
S72	4	(process processes) near10 (register$4) same notif$6 and @ad<"20000520" and "719"/318. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:55
S73	1	(updat$4) near10 (register$4) same notif$6 and @ad<"20000520" and "719"/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:55
S74	4	("6401138").URPN.	USPAT	OR	OFF	2006/01/12 10:58
S75	13	("5226117" | "5345551" | "5448738" | "5485617" | "5530865" | "5546580" | "5592664" | "5664207" | "5666492" | "5752159" | "5835089" | "5862377" | "5946659").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 11:04

S76	30	notif$10 near10 "new" near10 (process processes) near10 (identifier$1 ID$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:18
S77	92	register$5 near10 "new" near10 (process processes) near10 (identifier$1 ID$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:18
S78	37	register$5 near10 "new" near10 (process processes) near10 (identifier$1 ID$1) and @ad< "20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:18

P⦿RTAL

USPTO

Search: ⦿ The ACM Digital Library   ⦿ The Guide

| network* <paragarph> active <sentence> quer* <paragraph: | **SEARCH** |

Search Error

Your search for **network* <paragarph> active <sentence> quer* <paragraph> flex* <sentence> (identifier* PID)** contains invalid or malformed syntax.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

      sales offices

  You can also enter a full question or concept in plain language.

      Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

      John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

      "museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

      museum +art

- Exclude pages by using a - if a search term must not appear on a page.

      museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

      museum +"natural history" dinosaur -Chicago

Useful downloads: Adobe Acrobat   QuickTime   Windows Media Player   Real Player

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE   **SEARCH**   **IEEE XPLORE GUIDE**   **SUPPORT**

Edit an existing query or
compose a new query in the
Search Query Display.

Tue, 17 Jan 2006, 2:23:13 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries   **Results**

#1 (((network* \<paragraph> active \<paragraph> quer* \<paragraph>
    flex* \<paragraph> (identifier* pid))\<in>metadata)) \<and> (pyr   0
    >= 1950 \<and> pyr <= 2000)

Indexed by
Inspec